

# Professional VoIP Phone Manufacturer



**IP Video Phone**


---

**IP Phone**

---

**USB VoIP Phone**

---



## Video Phone + VoD+ Browser + Advertisement



### 7" Color LCD & Touch Screen

7 inch large color TFT LCD, touch screen for VP-2009, QWER full scale keyboard for VP-2008, USB, headset, A/V out, PSTN lifeline and 300K pixels CMOS camera.

### Powerful TI DaVinci Engine

Equipped with TI DaVinci processor, 64M flash and 128M DDR2 memory. Top configuration can be further developed for more value-added services through firmware updating so that to save the customer's invest in maximun.

### H.264 Superior Video Codecs

It supports H.264, H.263, MPEG-4 video codecs and G.722, G.711, G.729AB voice codecs. H.264 supports D1 30 fps and it enhances the face-to-face communication experience even at low bandwidth.

### Online Video Advertisement

Video advertisement could be played in ring back, talking and idle status. Advertisement could be online video stream from server or offline on local memory.

### IPTV and Video-on-Demand

It can deliver high quality video streams including IPTV and VoD directly on its 7 inch LCD or on a connected TV screen, and it supports Video call centre also.

### Browser & Digital Photo Frame

User can access internet through the browser. Service providers can build value-added services around it. Meanwhile, phone supports digital photo frame and the pictures could be loaded locally.





Model: SIP-T28

## Executive IP Phone

### 6 Lines

It supports up to 6 VoIP lines, each with a standalone configuration.

### HD Voice Quality

HD speaker, advanced wideband voice codec G.722 and full-duplex hands-free speakerphone with enhanced AEC.

### 16 Programmable Keys

16 programmable function keys with LED, 4 soft keys, BLF / BLA, XML screen, and expansion module.

### Functions for IP PBX

SMS, voicemail, remote/local phonebook, distinctive ringtone, dial plan, dial-now, intercom, National language customization.



Model: SIP-T26

## Advanced IP Phone

### 3 Lines

It supports up to 3 VoIP lines, each with a standalone configuration.

### HD Voice Quality

HD speaker, advanced wideband voice codec G.722 and full-duplex hands-free speakerphone with enhanced AEC.

### 13 Programmable Keys

13 programmable function keys with LED, 4 soft keys, BLF / BLA, XML screen, and expansion module.

### Functions for IP PBX

SMS, voicemail, remote/local phonebook, distinctive ringtone, dial plan, dial-now, intercom, National language customization.



Model: SIP-T22

## Professional IP Phone

### 3 Lines

It supports up to 3 VoIP lines, each with a standalone configuration.

### HD Voice Quality

It supports advanced wideband voice codec G.722 and full-duplex hands-free speakerphone with enhanced AEC.

### 3 Programmable Keys

3 programmable function keys with LED, 4 soft keys, XML screen.

### Functions for IP PBX

SMS, voicemail, remote/local phonebook, distinctive ringtone, dial plan, dial-now, intercom, National language customization.



Model: SIP-T20

## Entry Level IP Phone

### 2 Lines

It supports up to 2 VoIP lines, each with a standalone configuration.

### HD Voice Quality

It supports advanced wideband voice codec G.722 and full-duplex hands-free speakerphone with enhanced AEC.

### 2 Programmable Keys

2 programmable function keys with LED, 4 soft keys, XML screen.

### Functions for IP PBX

SMS, voicemail, remote/local phonebook, distinctive ringtone, dial plan, dial-now, intercom, call park are supported.

# IP Phone



## IP Phone Extension

### 228 Programmable Keys

38 programmable keys with LED, creates up to 228 additional programmable extensions when 6 EXT are daisy chained.

### Functions for IP PBX

It supports speed dial, BLF/BLA, intercom, direct pickup, group pickup, conference, hold, transfer, group listening, call return, voicemail.



Model: SIP-T10T

## Standard IP Phone

### National Language Customization

Support the most popular languages including English, French, German, Portuguese, Spanish, Chinese, language customization is supported.

### HD Voice Quality

It supports advanced wideband voice codec G.722 and full-duplex hands-free speakerphone with enhanced AEC, delivering superior voice clarity.

### Functions for IP PBX

SMS, voicemail, remote/local enterprise phonebook, distinctive ringtone, dial plan, dial-now, intercom, call park are supported



Model: SIP-T9CM

## Basic IP Phone

### 3 Accounts

It supports up to 3 SIP user accounts.

### Physical Features

2 lines x16 characters big LCD with blue backlight, 1xWAN, 1xLAN, PoE optional.

### Phone Features

It supports call hold, call waiting, call forward, call transfer, 3-way conference, volume adjust, 10 speed dial.



Model: SIP-GW3CM

## SIP ATA

### 3 Accounts

It supports up to 3 SIP user accounts.


### Physical Features

1xWAN, 1xLAN, 1xPSTN lifeline, 1xFXS, 3xLED indicators. Codecs: G.711, G.723.1, G.726, G.729AB and GSM.

### Features

Auto-detection, auto-switch to VoIP or PSTN calls, call hold, call waiting, call forward, call transfer, dial plan are supported.

## IP Phones



## Platform Compliance

BroadSoft      Huawei      Alcatel-Lucent      NORTEL  
 NOKIA-SIEMENS      ZTE      3COM      VoiceServe      Cirpack  
 Cisco      AVAYA      3CX      Asterisk      epygi      ...

Table of Yealink IP Phones

| Description               | SIP-T28                                  | SIP-T26                                  | SIP-T22                                  | SIP-T20                             | SIP-T10T                                 |
|---------------------------|--|--|--|-------------------------------------|--|
| LCD                       | 320x160                                  | 128x64                                   | 132x64                                   | Two lines                           | 132x64                                   |
| Chipset                   | TI Voice solution                        | TI Voice solution                        | TI Voice solution                        | TI Voice solution                   | TI Voice solution                        |
| User Account              | 6  | 3  | 3  | 2                                   | 1  |
| Wideband Codec            | G.722                                    | G.722                                    | G.722                                    | G.722                               | G.722                                    |
| Narrowband Codec          | G.711, G.726, G.729AB, G.723.1/iLBC, GSM | G.711, G.726, G.729AB, G.723.1/iLBC, GSM | G.711, G.726, G.729AB, G.723.1/iLBC, GSM | G.711, G.726, G.729AB, G.723.1, GSM | G.711, G.726, G.729AB, G.723.1/iLBC, GSM |
| HD Voice                  | ✓  | ✓  | ✓  | ✓                                   | ✓  |
| Full Duplex Speaker Phone | Excellent                                | Excellent                                | Excellent                                | Excellent                           | Excellent                                |
| BLF/BLA                   | ✓  | ✓  | —  | —                                   | —  |
| Programmable Keys         | 16                                       | 13                                       | 3  | 2                                   | —  |
| Multi language            | ✓  | ✓  | ✓  | —                                   | ✓  |
| SMS                       | ✓  | ✓  | ✓  | —                                   | ✓  |
| Voice Mail                | ✓  | ✓  | ✓  | ✓                                   | ✓  |
| VLAN                      | ✓  | ✓  | ✓  | ✓                                   | ✓  |
| SRTP                      | ✓  | ✓  | ✓  | ✓                                   | ✓  |
| Remote Phonebook          | ✓  | ✓  | ✓  | —                                   | ✓  |
| PoE                       | Optional                                 | Optional                                 | Optional                                 | Optional                            | Optional                                 |
| Expansion Module          | ✓  | ✓  | —  | —                                   | —  |

# USB Phone



Model: USB-M3K

- 2-in-1: Memory Stick + VoIP phone with stereo earphone
- Pre-loaded softphone auto-runs with account information
- Contact list and chat history auto-stored in the phone



Model: USB-P1M

- 2-in-1: Memory flash driver+VoIP phone
- Pre-loaded softphone auto-runs with account information
- Contact list and chat history auto-stored in the phone



Model: USB-P6SH

- Phone rings for all incoming calls, ring style selectable
- Echo cancellation, noise reduction, full duplex communication
- Compatible with more than 20 softphones



Model: USB-P1KH

- LCD display, Phone rings for all incoming calls
- Driver built-in, no need sound card
- Compatible with more than 20 softphones



Model: USB-P8DH

- large graphic LCD, headset jack supported
- Reviewable contact and call list in any language
- Compatible with more than 20 softphones



Model: USB-P4K

- Large LCD with blue backlight
- Commercial speakerphone, ideal for conference call
- Phone rings for incoming calls, ring style selectable



Model: USB-W1DL

- large graphic LCD with blue backlight
- Reviewable contact and call list in any language
- 2.4 GHz WiFi Band, suitable for Europe, USA, Japan



Model: USB-B2K

- Make/Receive both VoIP calls and regular PSTN calls
- Phone rings for all incoming VoIP and PSTN calls
- Echo cancellation, noise reduction



## Why Yealink

- 8 Years experience in VoIP since 2001
- Supply IP Video Phone, IP Phone and USB Phone
- 10,000 square meters factory with 9 flowing lines
- 52 R&D engineers develop own hardware and software including SIP Stack
- Exporting globally more than 100K/month, ODM/OEM supported
- Main Customers: Huawei, France Telecom, ZTE, Walmart, USR, Tesco ...



Office Area: 3000 square meters  
Employee: 80-90  
R&D Engineers: 42

Factory Area: 10,000 square meters  
Employee: 2000  
Equipped with 9 flowing lines



# Yealink

YEALINK NETWORK TECHNOLOGY CO.,LTD

Addr: 4th-5th Floor, South Building, No. 63 Wang Hai Road,  
2nd Software Park , Xiamen, China

Tel: +86-592-5702000

Fax: +86-592-5702455

E-Mail: [sales@yealink.com](mailto:sales@yealink.com)

Website: [www.yealink.com](http://www.yealink.com)

